

vibe



vibe golden slice

vibe



vibe cotton canvas



vibe crushed cord



vibe silk white & after dark

vibe



vibe deep pistachio & cotton canvas




vibe blue velvet, silver pearl & silk white



vibe minty mesh & after dark

vibe | colour palette




31901 silk white

LRV: Y 15.56 - L 47.52




31912 deep pistachio

LRV: Y 8.29 - L 36.00




31908 cotton canvas

LRV: Y 19.5 - L 52.3




31902 silver pearl

LRV: Y 9.72 - L 37.25



31911 minty mesh

LRV: Y 6.56 - L 30.85



31906 grey linen

LRV: Y 15.10 - L 46.7



31903 after dark

LRV: Y 5.67 - L 29.49




31907 blue velvet

LRV: Y 4.49 - L 25.15




31904 crushed cord

LRV: Y 8.37 - L 34.7



31910 golden slice

LRV: Y 9.74 - L 38.43



31909 satin sapphire

LRV: Y 3.13 - L 20.51



31905 liquorice lace

LRV: Y 3.07 - L 20.8

vibe | technical specification

technical specifications

Product Name	Vibe
Product Description	Multilevel Loop
Pile Yarn Description	100% Solution Dyed Nylon 6 (Polyamide-PA)
Tile Dimensions	50 cm x 50 cm
Pile Yarn Weight	774g/m ²
Total Weight	4180g/m ²
Pile Height	5mm
Total Thickness	7.5mm
Gauge/ends per 10cm	1/12th gauge 53 stitches
Tufts per m ² / Pile Density	250,393/m ²
Backing Description	Accummen™, 75% recycled
Wear Classification	BS EN 1307 Heavy Commercial Use Class 33
Luxury Rating Class	LC2
Flammability	Euroclass Bfl-s1
Thermal Resistance	Tog Rating: 0.51
Castor Chair Rating	BS EN 985 Pass - suitable for continuous use
Hexapod	BS ISO 10361: Method B:2000 3 to 4
Static Loading	BS 4939: 1987 (2003) Recovery >80% (24hrs)
Dynamic Loading	BS ISO 2094: 1999 (2005) Loss <20% (1000 impacts)
Body Voltage Test	BS ISO 6356:2000 <2kV
Colour Fastness To Light	BS EN ISO 105 - B02 Minimum Grade 6
Colour Fastness To Shampoo	BS 1006:UK-TB: 1990 Minimum Grade 4-5
Sound Absorption Coefficient	BS EN 354:2003
Reduction in Impact Noise	BS EN ISO 10140-3:2010 25dB
Reduction in Impact Noise at 1000Hz	BS EN ISO 10140-3:2010 43.7dB
Number Of Tiles Per Box	20 (5m ²)

For best results
we recommend



Monolithic

